

# **300 SERIES FEATURES**

These little monsters bring the brush torturing performance of Brush Fire to smaller carriers. Designed to make the most of lower hp and flow, the 300 series have what it takes to get the job done. The cutting system was redesigned to focus on the needs of smaller carriers. Like all Brush Fires the 300 series have rows and rows of teeth laid out in a staggered spiral.

THE RIGHT EQUIPMENT

# 300 Series Features


### BAUMALIGHT



### **Green Teeth**

The concave shaped carbide tip provides aggressive brush mulching action by chipping the brush bit by bit. Part of the secret of their performance is always having a sharp edge to make mulching easier. Sharper edges result in more aggressive cutting on low flow. These round carbide tipped teeth are like having 3 teeth in one. Just loosen the lock nut, turn the tooth, tighten and tear back into the brush. It takes only seconds to sharpen the tooth this way and the tooth can be rotated up to three times to provide renewed cutting performance. This gives you 3 times the wear, letting you tear into brush 3 times longer.

The tool holders are left or right positional and are designed to work in pairs. Being bolt on replaceable in case of damage makes servicing quick and easy without special tools and can even be done in the field.



# Integrated Brush

When push comes to shove the integrated brush bar helps control the brush and bend taller brush for easier



## Integrated Skid Shoes

These durable skid shoes help the Brush Fire to better float over the ground for optimal mulching action.

BAUMALIGHT



# 3-POINT HITCH





The 3 series PTO powered Brush Fire bring large scale clearing power to small scale tractors. Perfectly matched to your 25-50 HP tractor and mounting on your category 1 Three point hitch. These hungry little beasts are ready to clean up your property. The tractor PTO is harnessed through a heavy-duty gear box and released on unwanted brush through the devouring teeth. Blaze a trail, tame shrubs, turn this team loose on brush and watch it disappear.

Model No.	MP348	MP360
Path Width	60"	72"
Rotor Width	48"	60"
Maximum Engine HP	45 HP	50 HP
Minimum Engine HP	25 HP	30 HP
Cutting Depth	Level	Level
Number of Cutters	60	74
Slashes Per Second	3600	4000
Hitch Type	3-Point Hitch	3-Point Hitch
Hitch Size	CAT I	CAT I
Dive Speed	540	540
System Protection	Slip Clutch	Slip Clutch
Shipping Size (LxWxH)	62"x 48"x 40"	78" x 48" x 40"
Unit Weight	1050 LBS.	1200 LBS.





THE RIGHT EQUIPMENT



#### PTO Drive | Maximum Brush Cutting Sizes

Gear Selection	Operation	25 Engine HP	30 Engine HP	40 Engine HP	55 Engine HP	60 Engine HP
Hydrostatic	Slow Reverse	1" Brush	1.5" Brush	2" Brush	2.5" Brush	N/A*
	Stop and Chew	1.5" Brush	2" Brush	3" Brush	4" Brush	N/A*
		1800 RPM	1800 RPM	1800 RPM	1800 RPM	

\*NOTICE: This value must never be exceeded or warranty is voided

