



WOOD PROCESSOR

**TRAILER
3-POINT HITCH**



**THE EASIEST WAY TO
GET FROM LOG TO PILE**

The WP Wood Processor improves productivity,
ergonomics and minimizes handling.
All you have to do is cut.

WP830

Model Shown with optional
Pivoting Chainsaw Arm
(Chainsaw not included)

WALLENSTEIN **WP** WOOD PROCESSOR



CUTS EVERYTHING
BUT THE **WOOD**

Processing up to 1.5 cords per hour with only one person, the Wallenstein WP Wood Processor saves you time, and money while reducing the risk of physical strain.

HANDLE

full-length logs using only a winch.

CUT

to length while standing straight.

SPLIT AND STACK

without heavy lifting.





CUTS PHYSICAL STRAIN

Bringing firewood processing up to your level, the WP Wood Processor reduces unnecessary back strain by eliminating heavy lifting and bending while providing a comfortable cutting height. The ergonomic design allows you to work longer and more efficiently without the risk of personal injury.



No more
BENDING or LIFTING



Limits **SAW DAMAGE**



Rental income.



Part-time firewood business.



High Volume firewood users.

CUTS TIME

Low Cost - High Volume Production

1 Person



1 Saw



1 WP



UP TO **1.5 CORD / HOUR**

CUTS COST



No Front End Loader Needed



No Log Deck Needed



No Conveyor Needed

WHY WALLENSTEIN?



50 FT. LENGTH

2000lbs.

PULLING FORCE

HIGH-STRENGTH MEMORY-FREE SYNTHETIC ROPE

- Winds Smoothly
- No Kinks
- No Coiling
- No Slivers



EASY LOADING RAMP

**WITH GRIPPING
STABILIZERS**



HEAVY WEIGHT LOG STABILIZER

The stabilizer prevents
the log from rolling
while you cut.



NYLON CUTTING GUARDS

Protects
chainsaw teeth
from getting
damaged.



EASY REACH CONTROLS




ADJUSTABLE LOG LENGTH INDICATOR

Flexible guides give you the perfect
cut, everytime.



SPEED | POWER | VERSATILITY | RELIABILITY



ADJUSTABLE 4-WAY WEDGE

Control the size of firewood by raising the wedge with the easy-to-use lever.

OPTIONAL 6-WAY WEDGE



ADJUSTABLE OFFLOAD CHUTE

Pile it high, dump it into a trailer or keep the wood at waist level for easy stacking.



GREAT PRODUCTS NOW WITH GREAT WARRANTY

When you purchase any new Wallenstein product, we've got you covered with our 3 Year Consumer Warranty.

For details, visit www.embmfg.com.



WP200 Series

3-POINT HITCH

Using the convenience of your tractor's hydraulic system, the WP200 Series Wood Processor transfers your tractor's horse power straight into wood processing power.



STANDARD FEATURES

3-Point Hitch Mount

Hands Free Return - Auto Neutral

The splitter returns to the start position hands free and automatically switches from reverse to neutral. This allows you to cut the next block while the splitter is returning.

Hydraulic Power From Tractor

No Dedicated Engine to Service



Second
Average Full
Stroke Cycle
Tractor Dependent

OPTIONAL FEATURES



Nylon Chainsaw Holster
#P100
(Chainsaw not included)



PTO Hydraulic Power Pack
#P300



6-Way Wedge
#P600



WP230

24" SPLIT OPENING

- 45 hp Recom. Min. Hp
- 4.5" x 24" Cylinder Dia. / Stroke
- 3PH Cat I/II Mounting
- 12-18 gpm Recom. Hyd Flow
- 15 gpm @ 540 rpm Optional Accessory Pump Kit
- Auto Return Valve operation
- Full Stroke Cycle Time Per Tractor
- 20 / 25 Ton Splitting Force @ 2550 / 3000 psi
- 22" Max Split Length
- 22" Max Log Diameter
- Adjustable 4-way Wedge
- Adjustable 6-way Wedge Option
- 60" Winching Strap Included (Part# Z92405)
- 1450 lbs Weight
- Dimensions (LxWxH) 210" x 62" x 72"
- Folded Dimensions (LxWxH) 88" x 62" x 72"
- Hydraulic Winch
- 50' Length Nylon Winch Cable
- 2000 lbs Winch Pulling Force
- 54" Height Max Discharge Chute

WP260

36" SPLIT OPENING

- 60 hp Recom. Min. Hp
- 4.5" x 36" Cylinder Dia. / Stroke
- 3PH Cat I/II Mounting
- 12-18 gpm Recom. Hyd Flow
- 15 gpm @ 540 rpm Optional Accessory Pump Kit
- Auto Return Valve operation
- Full Stroke Cycle Time Per Tractor
- 20 / 25 Ton Splitting Force @ 2550 / 3000 psi
- 34" Max Split Length
- 22" Max Log Diameter
- Adjustable 4-way Wedge
- Adjustable 6-way Wedge Option
- 60" Winching Strap Included (Part# Z92405)
- 1600 lbs Weight
- Dimensions (LxWxH) 238" x 62" x 72"
- Folded Dimensions (LxWxH) 115" x 62" x 72"
- Hydraulic Winch
- 50' Length Nylon Winch Cable
- 2000 lbs Winch Pulling Force
- 54" Height Max Discharge Chute



Log Peavey
#Z99001



Firewood Bin
#P500



Pivoting Chainsaw Arm
#P200
(Chainsaw not included)



4 Color Options
Red, Orange, Green, Blue



*Shown with optional P200 Chainsaw Pivot

WP630 TRAILER

Winch, block, split and pile your firewood without wasting time or breaking your back. Powered by a 265 CC Subaru engine, the WP630 Wood Processor offers 25 tons of splitting force and provides a comfortable working height for cutting and an integrated splitter with exit chute.



STANDARD FEATURES

5.30 x 12 Highway Tires
Solid Axle Suspension



Hands Free Return - Auto Neutral

The splitter returns to the start position hands free and automatically switches from reverse to neutral. This allows you to cut the next block while the splitter is returning.



Second
Average Full
Stroke Cycle

OPTIONAL FEATURES



Nylon Chainsaw Holster
#P100
(Chainsaw not included)



6-Way Wedge
#P600



Log Peavey
#Z99001



WP630

24" SPLIT OPENING

Specifications

- 265 CC Subaru Engine, rope start
- 16 gpm, 2 stage Hyd Flow
- 4.5" x 24" Cylinder Diameter / Stroke
- Auto Return Valve operation
- 15 second Full Stroke Cycle Time
- 25 Ton Splitting Force
- 22" Max Split Length
- 22" Max Log Diameter
- Adjustable 4-way Wedge
- Adjustable 6-way Wedge Option
- Solid Axle Suspension
- 5.30 x 12 Tire Size
- 2" Ball Coupler
- 60" Winching Strap Included (Part# Z92405)
- 1600 lbs Weight
- Dimensions (LxWxH) 210" x 62" x 72"
- Folded Dimensions (LxWxH) 122" x 62" x 72"
- Hydraulic Winch
- 50' Length Nylon Winch Cable
- 2000 lbs Winch Pulling Force
- 54" Height Max Discharge Chute




Powered by



SUBARU

265 CC OVERHEAD CAM ENGINE

- Higher Performance
- Easy Start
- Low Noise
- Lower Exhaust Emissions
- Less Fuel Consumption



Firewood Bin
#P500



Pivoting Chainsaw Arm
#P200
(Chainsaw not included)



4 Color Options
Red, Orange, Green, Blue





WP800 Series TRAILER

With the ability to split logs up to 34", a 404 CC Subaru engine and auto cycle valve operation, the WP800 Series of Wood Processors offer all the features and benefits of the WP630 model while designed to handle higher volume and faster processing time.



Splitting is a one-step, hands free process that operates at the same time as you prepare the next block. Wallenstein's Auto Cycle feature gives you single action control of splitting. Auto Cycle powers the log through the adjustable 4-way wedge and returns to the home position quickly, ready for the next log.



STANDARD FEATURES

Single Side Controls
Including Engine Start/Stop, Throttle and Hour Meter



Second
Average Full
Stroke Cycle

WP830

OPTIONAL FEATURES



Nylon Chainsaw Holster
#P100
(Chainsaw not included)



6-Way Wedge
#P600



Log Peavey
#299001



Shown with optional Pivoting Chainsaw Arm

WP830

24" SPLIT OPENING

- 404 CC Subaru Engine / electric start
- 22 gpm, 2 stage Hydraulic Flow
- 4.5" x 24" Cylinder Dia. / Stroke
- Auto Return Valve operation
- 11 second Full Stroke Cycle Time
- 25 Ton Splitting Force
- 22" Max Split Length
- 22" Max Log Diameter
- Adjustable 4-way Wedge
- Adjustable 6-way Wedge Option
- Torflex® Suspension
- 5.30 x 12 Tire Size
- 2" Ball Coupler
- 60" Winching Strap Included (Part# Z92405)
- Highway Signal Lights
- 1840 lbs Weight
- Dimensions (LxWxH) 210" x 62" x 72"
- Folded Dimensions (LxWxH) 122" x 62" x 72"
- Hydraulic Winch
- 50' Length Nylon Winch Cable
- 2000 lbs Winch Pulling Force
- 54" Height Max Discharge Chute

WP860

36" SPLIT OPENING

- 404 CC Subaru Engine / electric start
- 22 gpm, 2 stage Hydraulic Flow
- 4.5" x 36" Cylinder Diameter / Stroke
- Auto Return Valve operation
- 16 second Full Stroke Cycle Time
- 25 Ton Splitting Force
- 34" Max Split Length
- 22" Max Log Diameter
- Adjustable 4-way Wedge
- Adjustable 6-way Wedge Option
- Torflex® Suspension
- 5.30 x 12 Tire Size
- 2" Ball Coupler
- 60" Winching Strap Included (Part# Z92405)
- Highway Signal Lights
- 1970 lbs Weight
- Dimensions (LxWxH) 238" x 62" x 72"
- Folded Dimensions (LxWxH) 150" x 62" x 72"
- Hydraulic Winch
- 50' Length Nylon Winch Cable
- 2000 lbs Winch Pulling Force
- 54" Height Max Discharge Chute



TORFLEX®
Rubber Torsion Suspension Axles
and 5.30 x 12 Highway Tires

**Highway Signal Lights and
Fender Kit**

**Subaru® Electric Start
404 CC Overhead Cam Engine**



Firewood Bin
#P500

Mesh Bag
#Z99007



Pivoting Chainsaw Arm
#P200
(Chainsaw not included)



4 Color Options
Red, Orange, Green, Blue





WALLENSTEIN PRODUCTS, PARTS
AND SERVICE ARE SUPPORTED BY
OUR WORLD-WIDE DEALER NETWORK.

www.embmfg.com



WALLENSTEIN



LOG TRAILERS



CHIPPER /
SHREDDERS



WINCHES



CHIPPERS



SPLITTERS

AUTHORIZED DEALER:

WALLENSTEIN

Manufactured by EMB MFG Inc.

1-877-695-9283 Tel: (519) 699-9283 Fax: (519) 699-4146

4144 Boomer Line, St. Clements, ON N0B 2M0 Email: sales@embmfg.com

www.embmfg.com